

DESK 26

Trendz

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed resin blades for maximum air delivery
- 90° oscillation
- Easy snap-fit assembly



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection device



3-Speed Piano
Switch control



Slate Grey



DESK 26 TRENDZ
Electric Blue

**HIGH
SPEED**



Electric Blue



DESK 27 TRENDZ
Slate Grey



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection with auto resetting



2000 RPM
For high air thrust

TABLE 27

Trendz

Sweep (mm) : 400

Air delivery : 5700 M3/Hr

RPM : 2000

- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed resin blades for maximum air delivery
- 3-speed piano switch control

STAND 37 Trendz

Sweep (mm) : 400

Air delivery : 5700 M3/Hr

RPM : 2000

- Extra protection against corrosion with powder-coated guard & polymer ring
- Ideal for heavy usage in large halls
- Aerodynamically designed resin blades for high air delivery
- 90o oscillation

**HIGH
SPEED**



STAND 37 TRENDZ
Slate Grey



Up & Down
Tilt mechanism



2000 RPM
With high speed powerful motor



Motor Protection
Through thermal overload protection device with auto reset



Electric Blue



Electric Blue



Up & Down
Tilt mechanism



Motor Protection
Through thermal overload protection device



90 Degree
Oscillation



3-Speed Piano
Switch control



STAND 32 TRENDZ
Slate Grey

STAND 32 Trendz

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed resin blades for high air delivery
- Telescopic arrangement for full height adjustment by contemporary collet

WALL 44 Trendz

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Powerful motor for high air delivery
- Motor protected through thermal overload protection device
- Extra protection with powder-coated guard & polymer ring



WALL 44 TRENDZ
Electric Blue



Electric Blue



Up & Down
Tilt mechanism



Aerodynamic
Resin Blades
For high air thrust

**HIGH
SPEED**



WALL 47 TRENDZ
Slate Grey



Up & Down
Tilt mechanism



Aerodynamic
Resin Blades
For high air thrust



90 Degree
Oscillation



Slate Grey

WALL 47 Trendz

Sweep (mm) : 400

Air delivery : 5700 M3/Hr

RPM : 2000

- Specially designed motor gives high air thrust 2000 RPM
- Oscillation & speed control by pull cord mechanism
- Thermal overload protection with auto-reset
- Extra protection with powder-coated guard & polymer ring

P R E S E N T I N G

TABLE, PEDESTAL AND WALL FANS SERIES

The comfort of cooling with the convenience of ergonomics. Our range of table, wall and pedestal fans guarantee cooling from wherever, whenever.





Wind-Pro



Tornado



Tornado Wall-II



Wall 48



Stand 35

WIND-PRO

Sweep (mm) : 400

Air delivery : 5700 M3/Hr

RPM : 1350

- Extra-high air thrust with heavenly silence
- 5700 CMH high air delivery at moderate power consumption
- Thermal overload protection device
- Oscillation & speed control
- Snow-white body with 5-leaf SAN blades



STAND 70



DESK 60



WALL 80



TABLE 30



STAND 40

**HIGH
SPEED**



WALL 50

TORNADO SERIES

Sweep (mm) : 400

Air delivery : 6000 M³/Hr

RPM : 2250

- 25% more air delivery than ordinary fans
- 35% more speed than ordinary fans with 2250 RPM
- Strongest motor in the category for longer life and durability
- Resilient fuse to safeguard motor during thermal overload
- Soft head tilting to adjust air-flow direction

RETRO RELIC*

Sweep (mm) : 300

Air delivery : 3600 M3/Hr

RPM : 2000

- High-speed motor to deliver air at 2000 RPM
- Unique 3-speed rotary switch control
- 90 degree oscillation
- Easy fan head tilt mechanism
- Motor protection with thermal overload protection device and auto reset

*Also available in Antique Brass and Pewter finish



RETRO RELIC
Antique Copper



RETRO
T16

RETRO T16

Sweep (mm) : 400

Air delivery : 4800 M3/Hr

RPM : 1280

- Rubbed-bronze finish adds to the overall aesthetics
- 3-speed rotary switch control



Up & Down
Tilt mechanism



Motor Protection
Through thermal overload
protection device

RETRO T12

Sweep (mm) : 300

Air delivery : 2800 M3/Hr

RPM : 2000

- Rubbed-bronze finish adds to the overall aesthetics
- 3-speed rotary switch control
- High speed motor gives high air thrust at 2000 RPM



RETRO
T12



STAND 35



ALL METAL
CONSTRUCTION

STAND 35

Sweep (mm) : 400

Air delivery : 4800 M3/Hr

RPM : 1280

- Extra protection against corrosion with powder-coated guard and metal ring
- Attractive rubbed-bronze finish
- Sleek 4-leaf aluminium blade classic design
- Specially designed high torque motor



Spiral Guard Design
Ensure international safety standard



90 Degree
Oscillation

DESK 26

Sweep (mm) : 400
Air delivery : 5040 M3/Hr
RPM : 1300

- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed resin blades for maximum air delivery
- 90° oscillation
- Easy snap-fit assembly



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection device



3-Speed Piano
Switch control



Azure Blue-White Crystal White



DESK 26
Crimson Red-White



**HIGH
SPEED**

TABLE 27

TABLE 27

Sweep (mm) : 400
Air delivery : 5700 M3/Hr
RPM : 2000

- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed resin blades for maximum air delivery
- 3-speed piano switch control



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection with auto resetting



2000 RPM
For high air thrust

DESK 17

Sweep (mm) : 300

Air delivery : 4800 M3/Hr

RPM : 2000

- Ideal for small cabins, offices & homes
- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed resin blades for maximum air delivery
- 90° oscillation
- 3-speed rotary switch control



Up & Down
Indexed tilt mechanism



Motor Protection
Thermal overload protection
with auto-resetting



2000 RPM
For high air thrust

**HIGH
SPEED**



DESK 25



DESK 17

DESK 25

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Extra protection against corrosion with powder-coated guard & polymer ring
- Easy snap-fit assembly
- Aerodynamically designed resin blades for maximum air delivery
- 90° oscillation



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection
device



3-Speed Piano
Switch control

SUPER DELUXE SUPREME

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Robust metal body & blade
- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed blades for maximum air delivery
- 90° oscillation

ALL METAL
CONSTRUCTION



SUPER
DELUXE
SUPREME



Up & Down
Tilt mechanism



3-Speed Piano
Switch control



Motor Protection
Thermal overload protection device



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection device



3-Speed Piano
Switch control



DESK 71



DELUXE
SUPREME

ALL METAL
CONSTRUCTION

DESK 71

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed resin blades for maximum air delivery
- 90° oscillation

ALL METAL
CONSTRUCTION



Up & Down
Tilt mechanism

For Commercial Use



Motor Protection
Thermal overload protection device



3-Speed Rotary
Switch control

DELUXE SUPREME

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed blades for maximum air delivery
- 90° oscillation

WALL 48

Sweep (mm) : 450

Air delivery : 5220 M3/Hr

RPM : 1300

- Powerful motor for high air delivery
- Oscillation & speed control by pull-cord mechanism
- Motor protected through thermal overload protection device
- Front & back guard with extra ribs for safety
- Extra protection with powder-coated guard & polymer ring

For Commercial Use



WALL 48

WALL 11

Sweep (mm) : 300

Air delivery : 3000 M3/Hr

RPM : 1400

- Oscillation & speed control by pull-cord mechanism
- Motor protected through thermal overload protection device
- Powerful motor for high air delivery
- 90° oscillation

WALL 11



WALL 43

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Powerful motor for high air delivery
- Motor protected through thermal overload protection device
- Oscillation & speed control by pull-cord mechanism
- Extra protection with powder-coated guard & polymer ring



WALL 49

Sweep(mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Powerful motor for high air delivery
- Automatic speed control through the breeze control button
- Remote control for ease of operation
- Advanced touch-screen panel for manual operation
- Extra protection with powder-coated guard & polymer ring



Up & Down
Tilt mechanism



**Aerodynamic
Blades**
For high air thrust



Motor Protection
Thermal overload
protection device



With Remote

WALL 49



Up & Down
Tilt mechanism



**Aerodynamic
Resin Blades**
For high air thrust



90 Degree
Oscillation

WALL 45*

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Powerful motor for high air delivery
- Motor protected through thermal overload protection device
- Oscillation & speed control by pull-cord mechanism
- Extra protection with powder-coated guard & polymer ring

*Available in red & blue blade colours also

**Metal
Blades**



WALL 45



WALL 41

WALL 41

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Extra protection against corrosion with powder-coated guard & polymer ring
- Powerful motor for high air delivery
- Motor protected through thermal overload protection device
- 3- speed piano switch control



Up & Down
Tilt mechanism



**Aerodynamic
Resin Blades**
For high air thrust



90 Degree
Oscillation

WALL 44

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Powerful motor for high air delivery
- Motor protected through thermal overload protection device
- Extra protection with powder-coated guard & polymer ring



Up & Down
Tilt mechanism



Aerodynamic Resin Blades
For high air thrust



90 Degree
Oscillation



Crimson
Red-White



Crystal White



WALL 44
Azure Blue-White



Up & Down
Tilt mechanism



Aerodynamic Resin Blades
For high air thrust

HIGH SPEED

WALL 14

Sweep (mm) : 300

Air delivery : 4800 M3/Hr

RPM : 2000

- Specially designed powerful motor with 2000 RPM
- Thermal overload protection with auto-reset
- Oscillation & speed control by pull-cord mechanism
- Extra protection with powder-coated guard & polymer ring



WALL 47



Up & Down
Tilt mechanism



Aerodynamic Resin Blades
For high air thrust

HIGH SPEED

WALL 47

Sweep (mm) : 400

Air delivery : 5700 M3/Hr

RPM : 2000

- Specially designed motor gives high air thrust @ 2000 RPM
- Oscillation & speed control by pull cord mechanism
- Thermal overload protection with auto-reset
- Extra protection with powder-coated guard & polymer ring

SPIND

Sweep (mm) : 300
Air delivery : 4800 M3/Hr
RPM : 2000

- Powerful motor for high air delivery
- Ideal for low height ceiling
- Aerodynamically designed blades for maximum air delivery
- Gyroscopic movement to set wind direction manually



SPIND



ROTO53

ROTO-53

Sweep (mm) : 400
Air delivery : 5040 M3/Hr
RPM : 1300

- Powerful motor for high air delivery
- Extra protection against corrosion with powder-coated guard & polymer ring
- 360 degree cyclic motion
- Wall mounting regulator



ZIPPY



ZIPPY

Sweep (mm) : 225
Air delivery : 960 M3/Hr
RPM : 2500

- Heavy duty motor with 2500 RPM provides high air thrust
- 2-in-1 advantage of wall mounting & table-top usage
- Attractive colour combination



**Aerodynamic Aluminium
Anodized Blades**
For high air thrust



Motor Protected
Through thermal overload
protection device

STAND 38

Sweep (mm) : 450

Air delivery : 5220 M3/Hr

RPM : 1300

- Sleek switch panel & round base add elegance to the decor
- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed resin blades ensure high thrust of air
- Specially designed high torque motor
- Front & back guard with extra ribs for safety



Up & Down
Tilt mechanism



Motor Protection
Through thermal overload
protection device



90 Degree
Oscillation

For Commercial Use

STAND 38

STAND 32
Crimson
Red - White

STAND 32
Grey

STAND 32

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed resin blades for high air delivery
- Telescopic arrangement for full height adjustment by contemporary collet



Up & Down
Tilt mechanism



Motor Protection
Through thermal overload
protection device



90 Degree
Oscillation



3-Speed Piano
Switch control

STAND 33

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed resin blades ensure high thrust of air
- 3-speed piano switch control
- Specially designed high torque motor

STAND 33



Up & Down
Tilt mechanism



Motor Protection
Through thermal overload
protection device



90 Degree
Oscillation

STAND 31



STAND 31

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Cross-steel base adds elegance to the decor
- Aerodynamically designed resin blades for high air delivery
- Extra protection against corrosion with powder-coated guard & polymer ring
- 3-speed piano switch control



Up & Down
Tilt mechanism



Motor Protection
Through thermal overload
protection device



90 Degree
Oscillation

STAND 37

Sweep (mm) : 400

Air delivery : 5700 M3/Hr

RPM : 2000

- Extra protection against corrosion with powder-coated guard & polymer ring
- Ideal for heavy usage in large halls
- Aerodynamically designed resin blades for high air delivery
- 90° oscillation

**HIGH
SPEED**



STAND 37



Up & Down
Tilt mechanism



2000 RPM
With high speed powerful motor



Motor Protection
Through thermal overload
protection device with auto reset

**ALL METAL
CONSTRUCTION**



With Remote

STAND 39



STAND 39

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed aluminium blades give high air thrust
- Advanced touch-screen panel for manual operation
- Automatic speed control through breeze control button



Up & Down
Tilt mechanism



Remote Control
For ease of operation



Motor Protection
Through thermal overload
protection device

STAND 34

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Sleek & ergonomically located switch panel adds to the elegance
- Extra protection against corrosion with powder-coated guard & polymer ring
- Aerodynamically designed blades ensure high air thrust
- Specially designed high-torque motor

STAND 34



ALL METAL
CONSTRUCTION



ALL METAL
CONSTRUCTION

FLOOR
SUPREME

FLOOR SUPREME

Sweep (mm) : 400

Air delivery : 5040 M3/Hr

RPM : 1300

- Round metal base with wheels provides extra stability & easy maneuverability
- Extra protection against corrosion with powder-coated guard & polymer ring
- Specially designed high-torque motor



MINI 16

Sweep (mm) : 400
Air delivery : 5040 M3/Hr
RPM : 1300

- Extra protection with powder-coated guard & polymer ring
- Aerodynamically designed aluminium blades give high air thrust
- Specially designed high torque motor



MINI 16



Up & Down
Tilt mechanism



Motor Protected
Through thermal overload
protection device



90 Degree
Oscillation

**ALL METAL
CONSTRUCTION**



FARATA FT-01

FARATA FT-01

Sweep (mm) : 500
Air delivery : 10000 M3/Hr
RPM : 1400

- Heavy-duty motor & aerodynamic blades give high-air thrust at minimum noise
- Vibration free operation
- Balanced operation & powder-coated finish ensure longer life



3-Speed Rotary
Switch control

**HIGH
VELOCITY**

For Commercial Use

TORNADO WALL-II

Sweep (mm) : 450

Air delivery : 6030 M3/Hr

RPM : 1325

- Powerful motor for high air delivery
- Thermal overload protection with auto-reset
- Pull-cord mechanism for on off & speed control
- Unique oil reservoir lubrication for better reliability & longer life

TORNADO
WALL-II



Up & Down
Indexed tilt mechanism



**Special Chrome
Plated Guard**
Enhances the room decor



**Aerodynamic Aluminium
Anodized Blades**
For high air thrust

For Commercial Use

**ALL METAL
CONSTRUCTION**

TORNADO-II



TORNADO-II

Sweep (mm) : 450

Air delivery : 6030 M3/Hr

RPM : 1325

- Powerful motor for high air delivery
- Thermal overload protection with auto-reset
- Pull-cord mechanism for on off & speed control
- Unique oil reservoir lubrication for better reliability & longer life
- Unit packing with easy assembly
- Unique oscillation mechanism



**Special Chrome
Plated Guard**
Enhances the room decor



**Aerodynamic Aluminium
Anodized Blades**
For high air thrust