WAKE UP TO THE NO. 1 WAY TO START YOUR DAY.

V-GUARD WATER HEATERS





Intuitive Technology

For over four decades V-Guard lived up to the reputation of making reliable products that were designed to work efficiently and last a lifetime. Now we are taking our next quantum leap. Harnessing the learnings, insights and experience of four decades it will be our endeavour to understand human lives and its relationship with the tools and appliances that he uses. Then, we create a seamless experience with thoughtfully engineered products in our quest to enrich consumer lives.

V-Guard has made waves in the water heater category by adhering to a firm belief in the principles of thoughtful engineering and intelligent design. The very boundaries of what is possible has been pushed in recent years by V-Guard through new product offerings in the water heater industry. V-Guard's water heaters are energy efficient, equipped with advanced coating solutions to protect against rust and are also crafted using high quality materials for a long lasting performance.

By implementing great designs and innovative features, V-Guard has crafted truly modern water heaters.

INSTANT SERIES



PEBBLE INSTA



SPRINHOT



STORAGE SERIES





PEBBLE (METALLICA & NON-METALLICA)







SPRINHOT PLUS





EMA







STEAMER PLUS ECN





STEAMER PLUS MSV





STEAMER PLUS MS SLEEK











IMMERSION HEATER



PEBBLE INSTA

- Outer cover made of rust proof ABS material
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of 304L grade Jindal / Tata brand Stainless Steel
- Can withstand working pressure up to 6.5kg/cm²
- Heating element with ISI mark for extra long life
- Multiple colour panel options to suit the bathroom interior
- Safety devices
- ISI marked
- Pebble Insta comes with product warranty of 2 years and inner tank warranty of 5 years



Colours Available







Capacity in Litres	Series Name	Rating in Watts	Body Dia in cm	Body height in cm	Version of mounting	Working Pressure in Kg/cm²
3 Ltr	Pebble Insta	3000	27	27.4	V	6.5









Replacement warranty 5 years for inner tank



SPRINHOT

• Outer cover made of rust proof ABS material • Inner tank made of 304 grade Jindal / Tata brand Stainless Steel • Can withstand pressure up to 6.5kg/cm² • Heating element with ISI mark for extra long life • Automatic temperature regulation through thermostat • Safety devices • ISI marked • Sprinhot series comes with product warranty of 2 years and inner tank warranty of 5 years

Capacity	Model Name	Rating In Watts	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm²(Max)
1 Ltr	Sprinhot	3000/4500	15.6	27.5	v	6.5
3 Ltr	Sprinhot	3000/4500	21.1	31.1	V	6.5



Electric Water Heater with ABS Outer Body and SS Tank for long



Sacrificial anode for extended life span



Replacement warranty 5 years for





IRIS

- Outer cover made of rust proof engineered polymer material
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of 304 grade Jindal / Tata brand Stainless Steel
- Can withstand working pressure up to 6.5kg/cm²
- · Heating element with ISI mark for extra long life
- Available in attractive Ivory colour
- Safety devices
- ISI marked
- Iris comes with product warranty of 2 years and inner tank warranty of 5 years

Capacity in Litres		Rating in Watts	Body Dia in cm	Body height in cm	Version of mounting	Working Pressure in Kg/cm²
3 Ltr	Iris	3000	16.9	34.1	V	6.5





Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank

VEEHOT

- Outer cover made of rust proof ABS material
- Inner tank made of 304 grade Jindal / Tata brand Stainless Steel
- Can withstand pressure up to 6.5kg/cm²
- Heating element with ISI mark for extra long life
- Automatic temperature regulation through thermostat
- Safety devices
- ISI marked
- Veehot comes with product warranty of 2 years and inner tank warranty of 5 years



Capacity	Model Name	Rating In Watts	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm²(Max)
3 Ltr	Veehot	3000	21.1	31.1	V	6.5



Electric Water Heater with ABS Outer Body and SS Tank for long life



Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank



VERANO DG

- Digital Temperature control with LED display
- Intelligent Scheduler (Once the time & temperature is set, the EWH will work automatically) – 2 Scheduling options available
- Control using an Android / iOS smartphone through the Internet from anywhere in the world
- Using the App, it is possible to: Change/monitor temperature,
 Change modes / Set Schedules / Monitor Energy Consumption /
 One touch complaint registration
- Temperature alert while reaching the set temperature
- Automatic dry heating detection & cut off system (along with alert to customer, if connected with smartphone) control using IR remote
- Verano series comes with a product warranty of 3 years, heating element warranty of 4 years and inner tank warranty of 8+2 years

Rating in Watts

2000

2000

5 star

5 star



y Height in cm)	Version of mounting	Working pressure Kg/cm² (Max)
42	V	8



15 Ltr

25 Ltr

Verano DG 15

Verano DG 25

Energy consumption monitoring through mobile app



Hot water ready notification through mobile app



Body Dia

40

46

Automatic dry heating protection system



48.5

IR remote control



Touch menu setting





VERANO

- Electric Water Heater with ABS outer body and 0.3cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion)
 coated inner tank to suit any kind of water
- 5-star rating as per BEE standard
- Vitreous enamel coated Incoloy 800 heating element for long life
- Adjustable capillary thermostat for temperature regulation
- Pressure pump / multistoried building usage compatibility with 8kg/cm² pressure withstanding
- Multi functional safety valve
- Verano series comes with a product warranty of 2 years and heating element warranty of 4 years and inner tank warranty of 8+2 years

Capacity	Model Name	Rating in Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
10 Ltr	Verano 10	2000	5 star	37.5	39.6	V	8
15 Ltr	Verano 15	2000	5 star	40	42	V	8
25 Ltr	Verano 25	2000	5 star	46	48.5	V	8





Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



Suitable for High Rise Buildings -Pressure-resistant technology which suits high-rise buildings where water pressure is up to 8kg/cm²



Sacrificial anode for extended life span



Outer cover made of rust proof ABS material





PEBBLE METALLICA SERIES

- Electric Water Heater with ABS outer body and 0.3cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit any kind of water
- 5-star rating as per BEE standard
- Metallic finish front panel and colour change options to suit the bathroom interior
- Vitreous enamel coated Incoloy heating element for long life
- Adjustable capillary thermostat for temperature regulation
- Pressure pump / multistoried building usage compatibility with 8kg/cm² pressure withstanding
- Multifunctional safety valve
- Pebble Metallica series comes with a product warranty of 3 years and heating element warranty of 4 years and inner tank warranty of 8+2 years

Colours Available







Capacity	Model Name	Rating In Watts		Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm²(Max)
6 Ltr	Pebble 6 (Metallica Series)	2000	5 Star	29.3	31.35	V	8
10 Ltr	Pebble 10 (Metallica Series)	2000	5 Star	33.2	35.3	V	8
15 Ltr	Pebble 15 (Metallica Series)	2000	5 Star	35.6	38.4	V	8
25 Ltr	Pebble 25 (Metallica Series)	2000	5 Star	38.6	46.85	V	8



Outer cover made of rust proof ABS material



Sacrificial anode for extended life span



Suitable for High Rise Buildings -Pressure-resistant technology which suits high-rise buildings where water pressure is up to 8kg/cm²



Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



PEBBLE SERIES

- Electric Water Heater with ABS outer body and 0.3cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit any kind of water
- 5-star rating as per BEE standard
- Interchangeable colour panel option to suit the bathroom interior
- Vitreous enamel coated Incoloy heating element for long life
- Adjustable capillary thermostat for temperature regulation
- Pressure pump / multistoried building usage compatibility with 8kg/cm² pressure withstanding
- Multifunctional safety valve
- Pebble series comes with a product warranty of 2 years, heating element warranty of 4 years and inner tank warranty of 7 years



Colours Available









Capacity	Model Name	Rating In Watts	Star rating	Body Dia (In cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
6 Ltr	Pebble 6	2000	5 Star	29.3	31.35	V	8
10 Ltr	Pebble 10	2000	5 Star	33.2	35.3	V	8
15 Ltr	Pebble 15	2000	5 Star	35.6	38.4	V	8
25 Ltr	Pebble 25	2000	5 Star	38.6	46.85	V	8





Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too





Suitable for High Rise Buildings -Pressure-resistant technology which suits high-rise buildings where water pressure is up to 8kg/cm²



Sacrificial anode for extended life span



Outer cover made of rust proof ABS material



IRIS SERIES

- Electric Water Heater with rust proof Dual color ABS outer body
- 0.3 cm thick EPAC (Engineered polymer anti corrosion) coated inner tank to suit any kind of water
- · Vitreous enamel coated Incoloy 800 heating element for long life
- 5-star rating as per BEE standard
- Adjustable capillary thermostat for temperature regulation
- Multifunctional safety valve
- Pressure pump / multistoried building usage compatibility with 8kg/cm² pressure withstanding
- Iris series comes with a product warranty of 2 years and heating element warranty of 3 years and inner tank warranty of 7 years.



Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
10 Ltr	Iris 10	2000	5 star	32.6	38.1	V	8
15 Ltr	Iris 15	2000	5 star	32.6	49.6	V	8
25 Ltr	Iris 25	2000	5 star	38.1	53.2	V	8



Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



Outer cover made of rust proof ABS material



Sacrificial anode for extended life span



Vitreous Enamel coated incoloy heating element for faster heating & longer life.





IRIS DG SERIES

• Electric water heater with rust proof Dual color ABS outer body • 0.3 cm thick EPAC (Engineered polymer anti corrosion) coated inner tank to suit any kind of water • Vitreous enamel coated Incoloy 800 heating element for long life • 5-star rating as per BEE standard • LED display for real time temperature indication • Adjustable capillary thermostat for temperature regulation • Multifunctional safety valve • Pressure pump/ multistoried building usage compatibility with 8kg/cm² pressure withstanding • Iris series comes with a product warranty of 2 years and heating element warranty of 4 years and inner tank warranty of 7 years.

Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
10 Ltr	Iris DG 10	2000	5 star	32.6	38.1	V	8
15 Ltr	Iris DG 15	2000	5 star	32.6	49.6	V	8
25 Ltr	Iris DG 25	2000	5 star	38.1	53.2	V	8







Sacrificial anode for extended life span



Vitreous Enamel coated incoloy heating element for faster heating & longer life.



Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too





KRYSTAL PLUS

- Outer cover made of rust proof ABS material in attractive white colour
 PUF insulation to minimize heat loss and reduce power consumption
 Inner tank made of high quality Steel with Glass-Lined AC coating
 Suitable for multistoried building and can withstand pressure up to 8kg/cm²
 High quality Incoloy 840 heating element
 4-Star rated from BEE for its energy saving technology
 Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
 Safety devices
 Multifunctional safety valve
 Krystal Plus series comes with a product warranty of 2 years and inner tank warranty of 5 years

Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
6 Ltr	Krystal Plus 6	2000	4 Star	30.5	30.5	V	8
10 Ltr	Krystal Plus 10	2000	4 Star	34.5	34.5	V	8
15 Ltr	Krystal Plus 15	2000	4 Star	38.5	38.5	°V	8
25 Ltr	Krystal Plus 25	2000	4 Star	43.5	43.5	°V	8



PUF insulation to minimize heat loss and reduce power consumption



Electric Water Heater with ABS Outer Body and inner tank with Glass-Lined AC Coating for long life



Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank



KRYSTAL PLUS DG SERIES

- Electric Water Heater with rust proof ABS outer body
- MS Tank with Glass line coating.
- Digital display for temperature indication.
- High quality Incoloy 840 heating element for long life.
- 4-star rating as per BEE standard
- Adjustable capillary thermostat for temperature regulation
- Multifunctional safety valve
- Pressure pump/ multistoried building usage compatibility with 8kg/cm² pressure withstanding
- Krystal Plus Dg series comes with a product warranty of 2 years and heating element warranty of 3 years and inner tank warranty of 7 years.



Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm²(Max)
6 Ltr	Krystal Plus Dg 6	2000	4 star	30.5	30.5	v	8
10 Ltr	Krystal Plus Dg 10	2000	4 star	34.5	34.5	V	8
15 Ltr	Krystal Plus Dg 15	2000	4 star	38.5	38.5	V	8
25 Ltr	Krystal Plus Dg 25	2000	4 star	43.5	43.5	V	8





Electric Water Heater with ABS Outer Body and inner tank with Glass Lined AC Coating for long life



Sacrificial anode for extended life span



PUF insulation to minimize heat loss and reduce power consumption



SPRINHOT PLUS

- Outer cover made of rust proof ABS material
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of 304L Grade Jindal / Tata brand Stainless
 Steel
- 15 & 25 Ltr capacities can withstand pressure up to 6.5kg/cm²
- All other capacities can withstand pressure up to 3.5 Kg/cm²
- ACC protection in inner tank
- 5-Star rated from BEE for 50% energy saving technology
- Adjustable capillary thermostat in 15 & 25Ltr
- Available in attractive Ivory colour
- Penta Safety System
- Sacrificial anode for extra long life
- ISI marked Sprinhot Plus series comes with a product warranty of 2 years and inner tank warranty of 5 years



Capacity	Model Name	Rating In Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
6 Ltr	Sprinhot Plus 6	3000	5 Star	25.5	36.4	V	3.5
10 Ltr	Sprinhot Plus 10	3000	5 Star	29.7	41.2	V	3.5
15 Ltr	Sprinhot Plus 15	2000	5 Star	32.1	44.7	V/F	6.5
25 Ltr	Sprinhot Plus 25	2000	5 Star	38.7	57.8	V/H	6.5



Electric Water Heater with ABS Outer Body and SS Tank with ACC protection for long life



Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank



PUF insulation to minimize heat loss and reduce power consumption





EMC SERIES

• Electric Water Heater with rust proof ABS outer body • MS Tank with Glass line coating • Digital display for temperature indication • Vitreous enamel coated Incoloy 840 heating element for long life • 4-star rating as per BEE standard • Adjustable capillary thermostat for temperature regulation • Multifunctional safety valve • Pressure pump / multistoried building usage compatibility with 8kg/cm² pressure withstanding • EMC series comes with a product warranty of 2 years and heating element warranty of 3 years and inner tank warranty of 7 years.

Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm²(Max)
10 Ltr	EMC 10	2000	4 star	30	38	V	8
15 Ltr	EMC 15	2000	2 star	30	48	V	8







Sacrificial anode for extended life span



AC Coating





EMA

• Electric Water Heater with ABS Outer body and 0.3 cm thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit hard water • 5-Star rating as per BEE standard • PUF Insulation to minimize heat loss and reduce power consumption • Suitable for mutistoried buildings and with stand pressure up to 8 kg /cm² • Vitreous Enamel coated incloy element for long life • Capillary thermostat for external temperature control • Sacrificial anode for extended life span • Safety devices • Multifunctional safety valve • EMA series comes with 2 years product warranty, 3 years for heating element and 7 years for inner tank.

Capacity in Litres	Series Name	Rating in Watts	Star Rating	Body Dia in cm	Body height in cm	Version of mounting	Working Pressure in Kg/cm²
15 Ltr	EMA 15	2000	5 star	33.1	51.3	V	8
25 Ltr	EMA 25	2000	5 star	38.6	54	V	8



Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



Sacrificial anode for extended life span



PUF insulation to minimize heat loss and reduce power consumption



ESA

- Electric Water Heater with ABS Outer body
- 5-Star rating as per BEE standard
- PUF Insulation to minimize heat loss and reduce power consumption
- Inner tank made of 304 L grade Jindal stainless steel
- ACC protection in inner tank
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Penta safety system
- ESA comes with 2 years product warranty and 5 years for inner tank.



Capacity in Litres	Series Name	Rating in Watts		Body Dia in cm	Body height in cm	Version of mounting	Working Pressure in Kg/cm²
10 Ltr	ESA 10	3000	5 star	33.1	39.8	V	6.5
15 Ltr	ESA 15	2000	5 star	33.1	52	V	6.5







Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank



PUF insulation to minimize heat loss and reduce power consumption



ESB

- Electric Water Heater with ABS Outer body
- 4-Star rating as per BEE standard
- PUF Insulation to minimize heat loss and reduce power consumption
- Inner tank made of 304 L grade Jindal stainless steel
- ACC protection in inner tank
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Penta safety system
- ESB comes with 2 years product warranty and 5 years for inner tank.



Capacity in Litres	Series Name	Rating in Watts	Star Rating	Body Dia in cm	Body height in cm	Version of mounting	Working Pressure in Kg/cm²
10 Ltr	ESB 10	3000	4 star	30.7	39.6	V	6.5
15 Ltr	ESB 15	2000	4 star	30.7	50	v	6.5



Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank



Electric Water Heater with ABS Outer Body and SS Tank for long life





STEAMER PLUS ECN

• Outer cover made of high quality Powder-coated Mild Steel & plastic end covers • PUF insulation to minimize heat loss and reduce power consumption • Inner tank made of high quality steel with glass-lined AC coating • Suitable for multistoried buildings and can withstand pressure up to 8kg/cm² • High-quality Incoloy 840 heating element • 4-Star rated from BEE for its Energy saving technology • Capillary thermostat for external temperature control • Sacrificial anode for extended life span • Analogue temperature indicator • Safety devices • Multifunctional safety valve • Steamer plus ECN series comes with 2 years product warranty, 3 years for heating element and 7 years warranty for inner tank.

Capacity	Model Name	Rating In Watts		Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
15 Ltr	Steamer Plus ECN 15	2000	4 Star	30	46	V	8
25 Ltr	Steamer Plus ECN 25	2000	4 Star	35	54.5	V	8





PUF insulation to minimize heat loss and reduce power consumption



Sacrificial anode for extended life span



Glass-Lined AC Coating





STEAMER PLUS ECS

• Outer cover made of high quality Powder-coated Mild Steel & plastic end covers • PUF insulation to minimize heat loss and reduce power consumption • Inner tank made of high quality steel with glass-lined AC coating • Suitable for multistoried buildings and can withstand pressure up to 8kg/cm² • High quality Incoloy 840 heating element • 4-Star rated from BEE for its Energy saving technology • Capillary thermostat for external temperature control • Sacrificial anode for extended life span • Analogue temperature indicator • Safety devices • Multifunctional safety valve • Steamer plus ECS series comes with 2 years product warranty, 3 years for heating element and 7 years warranty for inner tank.

Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm²(Max)
15 Ltr	Steamer Plus ECS 15	2000	4 Star	30	46	V	8
25 Ltr	Steamer Plus ECS 25	2000	4 Star	35	54.5	V	8







PUF insulation to minimize heat loss and reduce power consumption



STEAMER PLUS MSV

- Outer cover made of high quality Powder-coated Mild Steel & plastic end covers
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of high quality steel with Glass-Lined AC coating
- Suitable for multistoried building and can withstand pressure up to 8kg/cm²
- High quality Incoloy 840 heating element
- 2-Star rated from BEE for its energy saving technology
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Analogue temperature indicator
- Safety devices
- Multifunctional safety valve
- Steamer Plus MSV series comes with a product warranty of 2 years and inner tank warranty of 5 years



Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
35 Ltr	Steamer Plus MSV 35	2000	2 Star	35	68	V	8
50 Ltr	Steamer Plus MSV 50	3000	2 Star	39	74.5	V	8
100 Ltr	Steamer Plus MSV 100	3000	2 Star	46	91	v	8











STEAMER PLUS EC

- Outer cover made of high quality Powder coated Mild Steel
 & plastic End covers
- PUF Insulation to minimize heat loss and reduce power consumption
- Inner tank made of high quality steel with glass lined AC coating
- Suitable for mutistoried buildings and with stand pressure up to 8 kg/cm²
- High quality incoloy 840 heating element
- Capillary thermostat for external temperature control
- Sacrificial anode extended life span
- Safety devices
- Multifunctional safety valve
- Steamer Plus EC series come with 2 years product warranty,
 3 years for heating element and 5 years for inner tank.



Capacity in Litres		Rating in Watts	Star Rating	Body Dia in cm	Body height in cm	Version of mounting	Working Pressure in Kg/cm²
6 Ltr	Steamer Plus EC	2000	4 star	26.5	38	V	8
10 Ltr	Steamer Plus EC	2000	4 star	26.5	50.5	V	8
15 Ltr	Steamer Plus EC	2000	4 star	35.7	44	V	8
25 Ltr	Steamer Plus EC	2000	4 star	35.7	58	V	8






Sacrificial anode for extended life span



PUF insulation to minimize heat loss and reduce power consumption





STEAMER PLUS MS SLEEK

- Outer cover made of high quality ABS PUF insulation to minimize heat loss and reduce power consumption • Inner tank made of high quality steel with Glass-Lined AC coating • Suitable for multistoried buildings and can withstand pressure up to 8kg/cm² • High quality Incoloy 840 heating element • Capillary thermostat for external temperature control • Sacrificial anode for extended life span • Safety devices • Multifunctional safety valve
- Available with an inlet outlet pipe in the left hand side (LHS) as well as right hand side (RHS) Steamer Plus MS Sleek series comes with a product warranty of 2 years and inner tank warranty of 7 years.

Capacity	Model Name	Rating In Watts	Star Rating	Body Dia(in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
15 Ltr	Steamer Plus MS Sleek 15 RHS	2000	2 star	28.5	60	V/H	8
25 Ltr	Steamer Plus MS Sleek 25 RHS	2000	2 star	28.5	86	V/H	8
15 Ltr	Steamer Plus MS Sleek 15 LHS	2000	2 star	28.5	60	V/H	8
25 Ltr	Steamer Plus MS Sleek 25 LHS	2000	2 star	28.5	86	V/H	8





PUF insulation to minimize heat loss and reduce power consumption



Replacement warranty 7 years for inner tank & 3 years for heating coil



Sacrificial anode for extended life span



Glass-Lined AC Coating





STEAMER PLUS ECH

• Outer cover made of high quality Powder-coated Mild Steel & ABS end covers • PUF insulation to minimize heat loss and reduce power consumption • Inner tank made of high quality steel with glass-lined AC coating • Suitable for multistoried buildings and can withstand pressure up to 8kg/cm² • High quality Incoloy 840 heating element • Capillary thermostat for external temperature control • Sacrificial anode for extended life span • Analogue temperature indicator • Safety devices • Multifunctional safety valve • Steamer plus ECH series comes with 2 years product warranty, 3 years for heating element and 7 years warranty for inner tank.

Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Length (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
15 Ltr	Steamer Plus MS 15 ECH Series	2000	2 Star	30	52	н	8
25 Ltr	Steamer Plus MS 25 ECH Series	2000	2 Star	30	75.4	Н	8





Sacrificial anode for extended life span



PUF insulation to minimize heat loss and reduce power consumption





Replacement warranty 7 years for inner tank & 3 years for heating coil



STEAMER PLUS MSH

- Outer cover made of rust proof ABS material in attractive white colour
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made with high quality steel with 0.3cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion) coating to suit any kind of water
- Suitable for multistoried buildings and can withstand pressure up to 8kg/cm²
- High quality Incoloy 840 heating element
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Safety devices
- Multifunctional safety valve
- Steamer plus MSH series comes with a product warranty of 2 years and inner tank warranty of 5 years



Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Length (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
10 Ltr	Steamer Plus MSH	2000	2 Star	23.5	44.4	Н	8







Sacrificial anode for extended life span







ROOM HEATERS

RH3HT1000 New dual tone sleek design • Wider angle oscillation • Instant heating • 400/800/1200 W heat settings • Over heat protection • Automatic Tip over protection

Double protection against over heating • Compact and elegant design • 1000/2000 W heat RH2HC-2100

settings • Low noise performance• Faster Heating • Fan only mode

RH2QT-1000 Compact and elegant design • Faster heating • No noise • 400/800 watt heat settings • Automatic

Tip over protection

RH9F-1000 Cord storage and rear safety cover . Over heat protection and tilt over switch for safety

Thermostatic heat control and castor wheels for easy mobility • 3 power settings 1000/

1500/2000 watts with additional 400 watts (Heater + Fan) • Thermostatic heat control.

RH11F-1000 Cord storage • Rear safety cover • Overheat protection • Tilt over switch for safety • Thermostatic

heat control • Quick heating with PTC fan • Castor wheels for easy mobility • 3 power settings 1000,

1500 and 2500 watts with additional 400 watts (Heater + Fan) • Power: 2900 watts.



RH2QT-1000



RH2HC-2100



RH9F-1000/ RH11F-1000

Model	Rated Power	Rated Voltage	
RH3HT1000	1200 Watts	230 V AC 50Hz	
RH2HC-2100	2000 Watts	230 V AC 50Hz	
RH2QT-1000	800 Watts	230 V AC 50Hz	
RH9F-1000	2500 Watts	230 V AC 50Hz	
RH11F-1000	2900 Watts	230 V AC 50Hz	

GAS WATER HEATERS

- Suitable for Ultra Low Pressure application
- Automated ignition system instant heating
- Extra protection with Double Solenoid valve
- **Overheat Protection**
- 20 minute gas flow cut-off timer
- PRV for water high pressure protection
- Suitable for multistoried buildings
- Summer / Winter burner selection
- SS burner
- Copper heat exchanger



Capacity	Model Name	Water Pressure	Gas Pressure	Gas Type	Power (Dry battery)
5 Ltr	Safeflo Plus	0.008-8 kg/cm²	0.030 kg/cm²	LPG	1.5V x 2 nos
6 Ltr	Safeflo 4B	0.008-8 kg/cm²	0.030 kg/cm²	LPG	1.5V x 2 nos
6 Ltr	Safeflo Prime	0.008-8 kg/cm²	0.030 kg/cm²	LPG	1.5V x 2 nos











Electronic cut off for no water flow







IMMERSION HEATERS

Immersion Heater - VIH 101- VIH 151

- Engineering plastic handle ensuring complete protection against shock
- · Specially designed heating element for quick heating
- Indicator for power on
- Hanging hook for safe operation
- Copper tube element with long lasting nickel plating for long element life
- Water level indicator

Model	Rated Power	Rated Voltage
VIH 101	1000 Watts	230 V AC 50Hz
VIH 151	1500 Watts	230 V AC 50Hz



Immersion Heater VIH 101- VIH 151

Immersion Heater - Smart VIH 101- Smart VIH 151

- Engineering plastic handle ensuring complete protection against shock
- Specially designed heating element for quick heating
- Hanging hook for safe operation
- Copper tube element with long lasting nickel plating for long element life
- Water level indicator

Model	Rated Power	Rated Voltage
Smart VIH 101	1000 Watts	230 V AC 50Hz
Smart VIH 151	1500 Watts	230 V AC 50Hz



Smart Immersion Heater VIH 101- VIH 151



V-Guard Industries Ltd., Registered Office: 42/962, Vennala High School Road, Vennala, Kochi - 682028, Kerala. Ph: 0484-2005000, 4335000 www.vguard.in



V-Guard Care 1800 103 1300 (Toll Free) 1860 180 3000 (Charges Apply) E-mail: customercare@vguard.in www.vguardservice.in CIN: L31200KL1996PLC010010